

Jin 진스톤

Jin
진스톤

(주)진스톤

경기도 평택시 포승읍 서동대로 532

TEL : 031-682-2920

FAX : 031-682-2927

Jin Stone

진스톤에는 Story가 있습니다.

진스톤의 모든 제품에는 고객을 생각하는 마음을 정성껏 담은 스토리가 담겨있습니다.
 최상의 품질과 고객만족을 넘어 감동으로 다가가도록 최선을 다하겠습니다.
 기업과 기업이 아닌 사람과 사람으로 큰 희망과 힘찬 미래를 함께 공유하며,
 꿈꿀 수 있는 대한민국의 미래가 되겠습니다.

진스톤 임직원 일동



| 경계석


직선



곡선



경사



곡선



곡선 경계석 시공자

R 규격	0.5	1	1.5	2	2.5	3	4	5	6	7	8	9	10
매당호의 길이	785	785	785	785	981	942	897	981	942	999	966	942	981
소요량(90°)	1	2	3	4	4	5	7	8	10	11	13	15	16

(mm)

제품규격

		(mm)	
보차도경계석	180x200x1000	도로 경계석	150x150x1000
"	200x250x1000	"	150x120x1000
"	200x300x1000	"	100x100x1000
"	250x300x1000		

곡선 및 장애자용 주문 제작

경계석 시공예



| 사구석



Size (mm)

Width	Length	Thickness
90	90	90
100	100	60
100	100	80
100	100	100
120	120	120
150	150	150



사구석 시공예



| 볼라드

고정식 볼라드




Ø 200 x 700
Ø 250 x 700
Ø 300 x 700
Ø 400 x 700



Ø 200 x 700
Ø 250 x 700
Ø 300 x 700
Ø 400 x 700

이동식 볼라드



Ø 400 x 400
Ø 450 x 450



400 x 400 x 400
450 x 450 x 450



판석



▶ 판석



▶ 디딤석



▶ 현무암 부정형 디딤석



▶ 화강석 부정형 디딤석



▶ 철평석 부정형 디딤석

조경



▶ 공자갈(백색)



▶ 공자갈(흑색)



▶ 맷돌



▶ 물확



▶ 트렌치 뚜껑



▶ 플랜터



▶ 수목보호틀



▶ 분수대

콘크리트 경계블록

콘크리트 경계블록




곡선용 경계블록




규격

종류	호칭	치수 (mm)					참고중량(kg) 1000L	침강도(KN/m ² /kgf/m ²) (파괴하중)	비고
		a	b	h(h1)	r	L			
보차도 경계블록	A형	150	170	200(150)	20	1000	73	17.0(1735)	허용차 a:±2 bh:±3
	B형	180	205	250(150)	30	1000	111	29.5(3010)	
	C형	180	210	300	30	1000	137	45.0(4590)	
도 경계블록	SA형	120	120	120	10	1000	35	5.0(510)	허용차 a:±2 bh:±3
	SB형	150	150	120	10	1000	42	6.0(610)	
	SC형	150	150	150	10	1000	52	10(1020)	
곡선용	A	150	170	200	-	-	20	0.75R 780	
	B	180	205	250	-	-	30	1.5 780	
	C	180	210	300	-	-	30	3R 780	
								5R 780	

콘크리트 경계블록



보도블록



I형

199 x 99 x 60(80), 50장/㎡

U형

220 x 110 x 60(80), 39장/㎡

시각장애인용 점자, 유도블록(콘크리트)

300 x 300 x 60, 11장/㎡

제품 색상표

· 제품의 색상은 인쇄상 실제 제품과 차이가 있을 수 있습니다.



시공현장



인조화강석 블록



색상



인조화강석 블록 시공예



점토블록

